

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381603573
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 04/13/16 12:09 PM
 Analysis Date: 4/14/2016
 Collected: 4/8/2016

Project: **Hillcrest Heights**

Test Site: **Hillcrest Heights**
Temple Hills, MD 20748

Test Report: Radon in Air Test Results**Samples for EMSL Kit 141514**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238182	C32		4/8/2016	4/11/2016	70	50	Customer
381603573-0001			1:30:00 PM	7:00:00 AM			

Sample Notes: Not Analyzed
 Radon device received open by lab.

Samples for EMSL Kit 141516

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238310	C35	0.3	4/8/2016	4/11/2016	70	50	Customer
381603573-0002			1:33:00 PM	6:57:00 AM			

Sample Notes:

Samples for EMSL Kit 141518

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238379	C30	-0.1	4/8/2016	4/11/2016	70	50	Customer
381603573-0003			1:36:00 PM	6:55:00 AM			

Sample Notes:

236423	C30	-0.1	4/8/2016	4/11/2016	70	50	Duplicate
381603573-0004			1:36:00 PM	6:55:00 AM			

Sample Notes:

Duplicate RPD = 0%

Samples for EMSL Kit 141513

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238206	C29	0.05	4/8/2016	4/11/2016	70	50	Customer
381603573-0005			1:39:00 PM	6:52:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381603573
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 04/13/16 12:09 PM
 Analysis Date: 4/14/2016
 Collected: 4/8/2016

Project: **Hillcrest Heights**

Test Site: **Hillcrest Heights**
Temple Hills, MD 20748

Test Report: Radon in Air Test Results**Samples for EMSL Kit 141519**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238186	E54	0.05	4/8/2016	4/11/2016	70	50	Customer
381603573-0006			1:42:00 PM	6:48:00 AM			

Sample Notes:

Samples for EMSL Kit 141520

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
237802	B20	0.4	4/8/2016	4/11/2016	70	50	Customer
381603573-0007			1:45:00 PM	6:44:00 AM			

Sample Notes:

Samples for EMSL Kit 141534

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238273	B19	0.3	4/8/2016	4/11/2016	70	50	Customer
381603573-0008			1:48:00 PM	6:41:00 AM			

Sample Notes:

Samples for EMSL Kit 141521

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238198	B24	0.3	4/8/2016	4/11/2016	70	50	Customer
381603573-0009			1:52:00 PM	6:38:00 AM			

Sample Notes:

Samples for EMSL Kit 141522

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238204	B23	0.5	4/8/2016	4/11/2016	70	50	Customer
381603573-0010			1:54:00 PM	6:35:00 AM			

Sample Notes:

238225	B23	-0.1	4/8/2016	4/11/2016	70	50	Duplicate
381603573-0011			1:54:00 PM	6:35:00 AM			

Sample Notes:

Duplicate RPD = 200%

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381603573
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 04/13/16 12:09 PM
 Analysis Date: 4/14/2016
 Collected: 4/8/2016

Project: **Hillcrest Heights**

Test Site: **Hillcrest Heights**
Temple Hills, MD 20748

Test Report: Radon in Air Test Results**Samples for EMSL Kit 141517**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238211	B26	0.3	4/8/2016	4/11/2016	70	50	Customer
381603573-0012			1:58:00 PM	6:31:00 AM			

Sample Notes:

Samples for EMSL Kit 141523

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238403	K3	0.1	4/8/2016	4/11/2016	70	50	Customer
381603573-0013			2:02:00 PM	6:28:00 AM			

Sample Notes:

Samples for EMSL Kit 141502

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238222	K1	0.7	4/8/2016	4/11/2016	70	50	Customer
381603573-0014			2:04:00 PM	6:22:00 AM			

Sample Notes:

237951	K1	-0.1	4/8/2016	4/11/2016	70	50	Duplicate
381603573-0015			2:04:00 PM	6:22:00 AM			

Sample Notes:

Duplicate RPD = 200%

Samples for EMSL Kit 141503

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238260	A15	0.4	4/8/2016	4/11/2016	70	50	Customer
381603573-0016			2:08:00 PM	6:20:00 AM			

Sample Notes:

Samples for EMSL Kit 141507

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238213	A13	0.4	4/8/2016	4/11/2016	70	50	Customer
381603573-0017			2:13:00 PM	6:18:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381603573
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 04/13/16 12:09 PM
 Analysis Date: 4/14/2016
 Collected: 4/8/2016

Project: **Hillcrest Heights**

Test Site: **Hillcrest Heights**
Temple Hills, MD 20748

Test Report: Radon in Air Test Results**Samples for EMSL Kit 141508**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238207	A9	0.5	4/8/2016	4/11/2016	70	50	Customer
381603573-0018			2:16:00 PM	6:14:00 AM			

Sample Notes:

237922	A9	-0.1	4/8/2016	4/11/2016	70	50	Duplicate
381603573-0019			2:16:00 PM	6:14:00 AM			

Sample Notes:**Duplicate RPD = 200%****Samples for EMSL Kit 141509**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238297	A8	0	4/8/2016	4/11/2016	70	50	Customer
381603573-0020			2:20:00 PM	6:10:00 AM			

Sample Notes:**Samples for EMSL Kit 141510**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238166	A4	0.3	4/8/2016	4/11/2016	70	50	Customer
381603573-0021			2:23:00 PM	6:08:00 AM			

Sample Notes:**Samples for EMSL Kit 141505**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238216	Media center	0.4	4/8/2016	4/11/2016	70	50	Customer
381603573-0022			2:30:00 PM	6:02:00 AM			

Sample Notes:

237832	Media center	-0.1	4/8/2016	4/11/2016	70	50	Blank
381603573-0023			2:30:00 PM	6:02:00 AM			

Sample Notes:



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0327

<http://www.EMSL.com>

cinnaminsonradonlab@emsl.com

EMSL Order: 381603573

CustomerID: PGCS62

CustomerPO:

ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
Fax: (301) 952-0346
Received: 04/13/16 12:09 PM
Analysis Date: 4/14/2016
Collected: 4/8/2016

Project: **Hillcrest Heights**

Test Site: **Hillcrest Heights**
Temple Hills, MD 20748

Test Report: Radon in Air Test Results

Samples for EMSL Kit 141515

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238580 381603573-0024	Main office	0.3	4/8/2016 2:10:00 PM	4/11/2016 6:00:00 AM	70	50	Customer
Sample Notes:							
237796 381603573-0025	Main office	0	4/8/2016 2:10:00 PM	4/11/2016 6:00:00 AM	70	50	Blank
Sample Notes:							

The radon test was performed using a liquid scintillation radon detector/s and counted on a liquid scintillation counter using approved EPA testing protocols for Radon in Air testing. The EPA recommends fixing your home if the average of two short-term tests taken in the lowest lived-in level of the home show radon levels that are equal to or greater than 4.0pCi/L. The EPA recommends retesting your home every two years.

Please contact EMSL Analytical, Inc. or your State Health Department for further information.

All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of Radon in Air.

Report Note

Analyst(s)

Kathryn Lickfield (24)

Laura Freeman, Interim Laboratory Manager &
Subash Rashat, New Jersey Radiation Specialist NJ MES 10152
or other approved signatory

In no event shall EMSL be liable for indirect, special, consequential, or incidental damages, including, but not limited to, damages for loss of profit or goodwill regardless of the negligence (either sole or concurrent) of EMSL and whether EMSL has been informed of the possibility of such damages, arising out of or in connection with EMSL's services thereunder or the delivery, use, reliance upon or interpretation of test results by client or any third party. We accept no legal responsibility for the purposes for which the client uses the test results. In no event shall EMSL be liable to a client or any third party, whether based upon theories of tort, contract or any other legal or equitable theory, in excess of the amount paid to EMSL by client thereunder. The test results meets all NELAC requirements unless otherwise specified. Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS-LB-0005

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS-LB-0005. Subash Rashat certification #MES10152

Initial report from 04/20/2016 13:52:05

Please visit www.radontestinglab.com