

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381601782
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/01/16 11:40 AM
 Analysis Date: 3/2/2016
 Collected: 2/26/2016

Project: **Perrywood**

Test Site: **Perrywood**
Largo, MD 20774

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140256**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236963	Main Office	0.2	2/26/2016	2/29/2016	70	50	Customer
381601782-0001			3:01:00 PM	7:21:00 AM			

Sample Notes:

Samples for EMSL Kit 140255

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236948	224	0.2	2/26/2016	2/29/2016	70	50	Customer
381601782-0002			3:04:00 PM	7:21:00 AM			

Sample Notes:

237172	224	0.05	2/26/2016	2/29/2016	70	50	Blank
381601782-0003			3:04:00 PM	7:21:00 AM			

Sample Notes:

Samples for EMSL Kit 140254

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
237057	223	0.3	2/26/2016	2/29/2016	70	50	Customer
381601782-0004			3:04:00 PM	7:21:00 AM			

Sample Notes:

Samples for EMSL Kit 140265

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
237014	218	0.1	2/26/2016	2/29/2016	70	50	Customer
381601782-0005			3:05:00 PM	7:22:00 AM			

Sample Notes:

237174	218	0.05	2/26/2016	2/29/2016	70	50	Blank
381601782-0006			3:05:00 PM	7:22:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381601782
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/01/16 11:40 AM
 Analysis Date: 3/2/2016
 Collected: 2/26/2016

Project: **Perrywood**

Test Site: **Perrywood**
Largo, MD 20774

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140275**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236952	169	0.4	2/26/2016	2/29/2016	70	50	Customer
381601782-0007			3:05:00 PM	7:22:00 AM			

Sample Notes:

237545	169	0.05	2/26/2016	2/29/2016	70	50	Blank
381601782-0008			3:05:00 PM	7:22:00 AM			

Sample Notes:**Samples for EMSL Kit 140273**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236970	216	0.1	2/26/2016	2/29/2016	70	50	Customer
381601782-0009			3:05:00 PM	7:22:00 AM			

Sample Notes:**Samples for EMSL Kit 140274**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236908	Library	0.2	2/26/2016	2/29/2016	70	50	Customer
381601782-0010			3:06:00 PM	7:23:00 AM			

Sample Notes:**Samples for EMSL Kit 140261**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236882	155	0.3	2/26/2016	2/29/2016	70	50	Customer
381601782-0011			3:07:00 PM	7:24:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0327

<http://www.EMSL.com>cinnaminsonradonlab@emsl.com

EMSL Order: 381601782

CustomerID: PGCS62

CustomerPO:

ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/01/16 11:40 AM
 Analysis Date: 3/2/2016
 Collected: 2/26/2016

Project: **Perrywood**

Test Site: **Perrywood**
Largo, MD 20774

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140242**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236912	162	0.5	2/26/2016	2/29/2016	70	50	Customer
381601782-0012			3:08:00 PM	7:24:00 AM			

Sample Notes:

237572	162	0.6	2/26/2016	2/29/2016	70	50	Duplicate
381601782-0013			3:08:00 PM	7:24:00 AM			

Sample Notes:**Duplicate RPD = 18.2%****Samples for EMSL Kit 140272**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236879	160	0.3	2/26/2016	2/29/2016	70	50	Customer
381601782-0014			3:10:00 PM	7:25:00 AM			

Sample Notes:

237248	160	0.3	2/26/2016	2/29/2016	70	50	Duplicate
381601782-0015			3:10:00 PM	7:25:00 AM			

Sample Notes:**Duplicate RPD = 0%****Samples for EMSL Kit 140228**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236986	153	0.1	2/26/2016	2/29/2016	70	50	Customer
381601782-0016			3:10:00 PM	7:26:00 AM			

Sample Notes:

237171	153	0.2	2/26/2016	2/29/2016	70	50	Duplicate
381601782-0017			3:10:00 PM	7:26:00 AM			

Sample Notes:**Duplicate RPD = 66.7%****Samples for EMSL Kit 140250**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236904	151	0.3	2/26/2016	2/29/2016	70	50	Customer
381601782-0018			3:11:00 PM	7:26:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381601782
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/01/16 11:40 AM
 Analysis Date: 3/2/2016
 Collected: 2/26/2016

Project: **Perrywood**

Test Site: **Perrywood**
Largo, MD 20774

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140253**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236983	158	0.5	2/26/2016	2/29/2016	70	50	Customer
381601782-0019			3:12:00 PM	7:26:00 AM			

Sample Notes:

Samples for EMSL Kit 140252

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236869	149	0.2	2/26/2016	2/29/2016	70	50	Customer
381601782-0020			3:15:00 PM	7:26:00 AM			

Sample Notes:

237520	149	0.4	2/26/2016	2/29/2016	70	50	Duplicate
381601782-0021			3:15:00 PM	7:26:00 AM			

Sample Notes:

Duplicate RPD = 66.7%

Samples for EMSL Kit 140264

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236929	156	0.1	2/26/2016	2/29/2016	70	50	Customer
381601782-0022			3:16:00 PM	7:27:00 AM			

Sample Notes:

Samples for EMSL Kit 140262

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236883	154	0.3	2/26/2016	2/29/2016	70	50	Customer
381601782-0023			3:16:00 PM	7:27:00 AM			

Sample Notes:

237526	154	0.2	2/26/2016	2/29/2016	70	50	Duplicate
381601782-0024			3:16:00 PM	7:27:00 AM			

Sample Notes:

Duplicate RPD = 40%

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0327

<http://www.EMSL.com>cinnaminsonradonlab@emsl.com

EMSL Order: 381601782

CustomerID: PGCS62

CustomerPO:

ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/01/16 11:40 AM
 Analysis Date: 3/2/2016
 Collected: 2/26/2016

Project: **Perrywood**

Test Site: **Perrywood**
Largo, MD 20774

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140263**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236942	152	0.3	2/26/2016	2/29/2016	70	50	Customer
381601782-0025			3:17:00 PM	7:28:00 AM			

Sample Notes:**Samples for EMSL Kit 140251**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236887	150	0.2	2/26/2016	2/29/2016	70	50	Customer
381601782-0026			3:18:00 PM	7:28:00 AM			

Sample Notes:**Samples for EMSL Kit 140240**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236906	148	0.3	2/26/2016	2/29/2016	70	50	Customer
381601782-0027			3:19:00 PM	7:29:00 AM			

Sample Notes:**Samples for EMSL Kit 140241**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236917	146	0.3	2/26/2016	2/29/2016	70	50	Customer
381601782-0028			3:20:00 PM	7:29:00 AM			

Sample Notes:**Samples for EMSL Kit 140157**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
237114	137	0.5	2/26/2016	2/29/2016	70	50	Customer
381601782-0029			3:21:00 PM	7:29:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381601782
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/01/16 11:40 AM
 Analysis Date: 3/2/2016
 Collected: 2/26/2016

Project: **Perrywood**

Test Site: **Perrywood**
Largo, MD 20774

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140156**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
237111	144	0.3	2/26/2016	2/29/2016	70	50	Customer
381601782-0030			3:20:00 PM	7:30:00 AM			

Sample Notes:

Samples for EMSL Kit 140159

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
237064	135	0.4	2/26/2016	2/29/2016	70	50	Customer
381601782-0031			3:20:00 PM	7:30:00 AM			

Sample Notes:

Samples for EMSL Kit 140160

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
237004	142	0.3	2/26/2016	2/29/2016	70	50	Customer
381601782-0032			3:20:00 PM	7:30:00 AM			

Sample Notes:

Samples for EMSL Kit 140214

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
237018	133	0.5	2/26/2016	2/29/2016	70	50	Customer
381601782-0033			3:21:00 PM	7:30:00 AM			

Sample Notes:

Samples for EMSL Kit 140158

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
237074	140	0.2	2/26/2016	2/29/2016	70	50	Customer
381601782-0034			3:22:00 PM	7:31:00 AM			

Sample Notes:

237228	140	0.1	2/26/2016	2/29/2016	70	50	Duplicate
381601782-0035			3:22:00 PM	7:31:00 AM			

Sample Notes:

Duplicate RPD = 66.7%

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381601782
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/01/16 11:40 AM
 Analysis Date: 3/2/2016
 Collected: 2/26/2016

Project: **Perrywood**

Test Site: **Perrywood**
Largo, MD 20774

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140223**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236981	138		2/26/2016	2/29/2016	70	50	Customer
381601782-0036			3:22:00 PM	7:31:00 AM			

Sample Notes: Not Analyzed
 Not Received

Samples for EMSL Kit 140227

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236949	134	0.3	2/26/2016	2/29/2016	70	50	Customer
381601782-0037			3:23:00 PM	7:31:00 AM			

Sample Notes:

Samples for EMSL Kit 140161

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
237027	130	0.3	2/26/2016	2/29/2016	70	50	Customer
381601782-0038			3:24:00 PM	7:31:00 AM			

Sample Notes:

Samples for EMSL Kit 140222

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236988	126	0.6	2/26/2016	2/29/2016	70	50	Customer
381601782-0039			3:25:00 PM	7:32:00 AM			

Sample Notes:

237160	126	0.6	2/26/2016	2/29/2016	70	50	Duplicate
381601782-0040			3:25:00 PM	7:32:00 AM			

Sample Notes:

Duplicate RPD = 0%

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0327

<http://www.EMSL.com>cinnaminsonradonlab@emsl.com

EMSL Order: 381601782

CustomerID: PGCS62

CustomerPO:

ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/01/16 11:40 AM
 Analysis Date: 3/2/2016
 Collected: 2/26/2016

Project: **Perrywood**

Test Site: **Perrywood**
Largo, MD 20774

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140174**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236996	123	0.6	2/26/2016	2/29/2016	70	50	Customer
381601782-0041			3:26:00 PM	7:32:00 AM			

Sample Notes:**Samples for EMSL Kit 140097**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
237106	124	0.4	2/26/2016	2/29/2016	70	50	Customer
381601782-0042			3:27:00 PM	7:33:00 AM			

Sample Notes:**Samples for EMSL Kit 140120**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
237073	121	0.4	2/26/2016	2/29/2016	70	50	Customer
381601782-0043			3:28:00 PM	7:33:00 AM			

Sample Notes:**Samples for EMSL Kit 140176**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236993	119	0.4	2/26/2016	2/29/2016	70	50	Customer
381601782-0044			3:29:00 PM	7:34:00 AM			

Sample Notes:**Samples for EMSL Kit 140173**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
237007	118	0.4	2/26/2016	2/29/2016	70	50	Customer
381601782-0045			3:30:00 PM	7:35:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381601782
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/01/16 11:40 AM
 Analysis Date: 3/2/2016
 Collected: 2/26/2016

Project: **Perrywood**

Test Site: **Perrywood**
Largo, MD 20774

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140175**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
237000	113	0.6	2/26/2016	2/29/2016	70	50	Customer
381601782-0046			3:30:00 PM	7:35:00 AM			

Sample Notes:

235375	113	0	2/26/2016	2/29/2016	70	50	Blank
381601782-0047			3:30:00 PM	7:35:00 AM			

Sample Notes:**Samples for EMSL Kit 140239**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
236933	116	0.5	2/26/2016	2/29/2016	70	50	Customer
381601782-0048			3:32:00 PM	7:36:00 AM			

Sample Notes:**Samples for EMSL Kit 140165**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
237043	111	0.4	2/26/2016	2/29/2016	70	50	Customer
381601782-0049			3:33:00 PM	7:36:00 AM			

Sample Notes:

237147	111	-0.1	2/26/2016	2/29/2016	70	50	Blank
381601782-0050			3:33:00 PM	7:36:00 AM			

Sample Notes:**Samples for EMSL Kit 140164**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
237051	110	0.3	2/26/2016	2/29/2016	70	50	Customer
381601782-0051			3:34:00 PM	7:36:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0327

<http://www.EMSL.com>cinnaminsonradonlab@emsl.com

EMSL Order: 381601782

CustomerID: PGCS62

CustomerPO:

ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/01/16 11:40 AM
 Analysis Date: 3/2/2016
 Collected: 2/26/2016

Project: **Perrywood**

Test Site: **Perrywood**
Largo, MD 20774

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140119**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
237119	105	0.4	2/26/2016	2/29/2016	70	50	Customer
381601782-0052			3:35:00 PM	7:37:00 AM			

Sample Notes:**Samples for EMSL Kit 139541**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
235288	106	0.3	2/26/2016	2/29/2016	70	50	Customer
381601782-0053			3:36:00 PM	7:37:00 AM			

Sample Notes:**Samples for EMSL Kit 139531**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
235151	100	0.2	2/26/2016	2/29/2016	70	50	Customer
381601782-0054			3:37:00 PM	7:37:00 AM			

Sample Notes:**Samples for EMSL Kit 139542**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
235162	101		2/26/2016	2/29/2016	70	50	Customer
381601782-0055			3:40:00 PM	7:38:00 AM			

Sample Notes: Not Analyzed
Not Received

235305	101		2/26/2016	2/29/2016	70	50	Duplicate
381601782-0056			3:40:00 PM	7:38:00 AM			

Sample Notes: Not Analyzed
Not Received**Duplicate RPD = 0%**

The radon test was performed using a liquid scintillation radon detector/s and counted on a liquid scintillation counter using approved EPA testing protocols for Radon in Air testing. The EPA recommends fixing your home if the average of two short-term tests taken in the lowest lived-in level of the home show radon levels that are equal to or greater than 4.0pCi/L. The EPA recommends retesting your home every two years.

Please contact EMSL Analytical, Inc. or your State Health Department for further information.

All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of Radon in Air.

Report Note

Test Report RadonMultiKit-7.30.4 Printed: 3/8/2016 6:13:30 PM

Page 10 of 11



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077
Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381601782
CustomerID: PGCS62
CustomerPO:
ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
Fax: (301) 952-0346
Received: 03/01/16 11:40 AM
Analysis Date: 3/2/2016
Collected: 2/26/2016

Project: **Perrywood**

Test Site: **Perrywood**
Largo, MD 20774

Test Report: Radon in Air Test Results

Analyst(s)

Tiffanie Cosgrove (53)

Laura Freeman, Interim Laboratory Manager &
Subash Rashat, New Jersey Radiation Specialist NJ MES 10152
or other approved signatory

In no event shall EMSL be liable for indirect, special, consequential, or incidental damages, including, but not limited to, damages for loss of profit or goodwill regardless of the negligence (either sole or concurrent) of EMSL and whether EMSL has been informed of the possibility of such damages, arising out of or in connection with EMSL's services thereunder or the delivery, use, reliance upon or interpretation of test results by client or any third party. We accept no legal responsibility for the purposes for which the client uses the test results. In no event shall EMSL be liable to a client or any third party, whether based upon theories of tort, contract or any other legal or equitable theory, in excess of the amount paid to EMSL by client thereunder. The test results meets all NELAC requirements unless otherwise specified. Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS-LB-0005

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS-LB-0005. Subash Rashat certification #MES10152

Report Amended: 03/08/2016 18:13:30 Replaces the Inital Report 03/08/2016 18:09:47. Reason Code: Data Entry-Change to kit number

Please visit www.radontestinglab.com